

# Chatbox Solo

Lush, stealthy solo flights

When a basic phone booth feels too cramped for serious work, Solo takes over. More room to focus for longer and keep outside distractions at bay.



1 person



## Essential quality

With a sole focus on essential features, you enjoy world-class quality without breaking the bank.



## Quiet

Best-in-class soundproofing. Blocks 34dB outside noise, 31dB inside speech. Office-tested, ISO-approved in the laboratory.



## Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.



## Easy to relocate

Add-on mobility kit for in-office relocation. Easy reassembly for moving offices.



## Quick assembly

Thanks to its smart prefabricated design, it sets up in 40 minutes. Disassembly and reassembly are just as easy.



## Endless customization

Swappable side skin and cover trim keeps your pod looking fresh and up to date (We call it Silen Dynamics.) Choose from different colors, covers, and customization options. All furniture can be easily removed and replaced.




## Sustainable

Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.


## Standard exterior colors







## Standard interior color



## Colour collection for additional price





# Chatbox Solo technical specification

## GENERAL PRODUCT INFO

<b>Exterior size (W*D*H)</b>	125 x 98 x 222 cm 49.2 x 38.6 x 87.4 in
<b>Interior size (W*D*H)</b>	113 x 91 x 204 cm 44.5 x 35.8 x 80.3 in
<b>Weight (net)</b>	380 kg / 838 lb
<b>Door handedness</b>	right-handed door
<b>Air ventilation</b>	low consumption air circulation system (max 5.1 W)
<b>Air flow</b>	air circulation speed is more than 55 l/s (198 m <sup>3</sup> /h) (117 ft <sup>3</sup> /min)
<b>Lighting</b>	energy-efficient LED light (28 W, 4000 K, 2240 lm)
<b>Power outlets</b>	Black socket with 110-240 V (10 A) + USB-A+C
<b>Power cord</b>	3 m / 9 ft 10 in
<b>Exterior material</b>	painted sheet metal
<b>Glass</b>	sound control laminated safety glass
<b>Floor</b>	antistatic and stain resistant low loop pile carpet for public spaces, EN 1307
<b>Acoustic surfaces</b>	acoustic EchoFree panel
<b>Adjustable glides</b>	for easy leveling from inside the booth

## CERTIFICATION

<b>Electrical safety</b>	CE-mark
<b>Fire safety</b>	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
<b>Emissions</b>	Indoor Advantage™ Gold certified by SCS Global Services
<b>Sound reduction</b>	27,8 db (class B according to ISO 23351-1)
<b>Airborne sound insulation R'w</b>	34 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
<b>Sound transmission class STC</b>	34 dB according to ASTM E90, measured on site by an accredited specialist




## Chatbox Solo features



Retractable coat/bag hook



Air flow and lighting dimmer



Occupancy light

### EXTRA FEATURE

**Retractable coat/bag hook** A practical and nice-looking foldable hook for coat or bag


**Air flow and lighting dimmer**

**Occupancy light**

**Mobility kit** Set of detachable casters for moving booths.  
Can be used for all Chatbox models.

## Options for surfaces

### Exterior colors collection



### Standard wall and ceiling




Dark gray

### Standard floor



Dark gray

### Standard profile



Black

