

# Chatbox Quattro

## Camping made easy

An hour shared by four people is a luxury. Make it count, free of outside distractions – and without disturbing what's outside. Meet, focus, and create in peace and privacy.



1-6 people



### Essential quality

With a sole focus on essential features, you enjoy world-class quality without breaking the bank.



### Quiet

Best-in-class soundproofing. Blocks 34dB outside noise, 30dB inside speech. Office-tested, ISO-approved in the laboratory.



### Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.



### Easy to relocate

Add-on mobility kit for in-office relocation. Easy reassembly for moving offices.



### Quick assembly

Thanks to its smart prefabricated design, it sets up in 2.5 hours. Disassembly and reassembly are just as easy.



### Endless customization

Thanks to its smart prefabricated design, it sets up in 2.5 hours. Disassembly and reassembly are just as easy.



### Sustainable

Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.

### Standard exterior colors



Black



White

### Standard interior color



Dark gray

### Colour collection for additional price



Cotton



Opal



Marshmallow



Myosotis



Paprika



Azurite




Storm Gray




Frozen Blue








FRONT VIEW



LEFT VIEW



TOP VIEW



MINIMAL SPACE BETWEEN POD AND CEILING

SPACE BETWEEN FLOOR AND POD



# Chatbox Quattro technical specification

## GENERAL PRODUCT INFO

<b>Exterior size (W×D×H)</b>	213 × 194 × 222 cm 83.9 × 76.2 × 87.4 in
<b>Interior size (W×D×H)</b>	200 × 186 × 204 cm 78.7 × 73.3 × 80.3 in
<b>Weight (net)</b>	790 kg / 1742 lb
<b>Door handedness</b>	left- and right-handed door in one
<b>Air ventilation</b>	low consumption air circulation system (max 10,2 W)
<b>Air flow</b>	air circulation speed is more than 85 l/s (306 m³/h) (180 ft³/min)
<b>Lighting</b>	energy-efficient LED light (56 W, 4000 K, 6000 lm)
<b>Power outlets</b>	Option one: 4 x 110-240 V (10 A) Option two: 2 x 110-240 V (10 A) + 2 x USB-A+C
<b>Power cord</b>	5 m / 9 ft 10 in
<b>Exterior material</b>	painted sheet metal
<b>Glass</b>	sound control laminated safety glass
<b>Floor</b>	antistatic and stain resistant low loop pile carpet for public spaces, EN 1307
<b>Acoustic surfaces</b>	acoustic EchoFree panel
<b>Adjustable glides</b>	for easy leveling from inside the booth

## CERTIFICATION

<b>Electrical safety</b>	CE-mark
<b>Fire safety</b>	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
<b>Emissions</b>	Indoor Advantage™ Gold certified by SCS Global Services
<b>Sound reduction</b>	30,2 db (class A according to ISO 23351-1)




## Chatbox Quattro features



Retractable coat/bag hook



Control panel



Occupancy light




Mobility kit

### EXTRA FEATURE

<b>Retractable coat/bag hook</b>	A practical and nice-looking foldable hook for coat or bag
<b>Control panel</b>	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras
<b>Occupancy light</b>	
<b>Whiteboard</b>	Magnetic laminate surface
<b>Screen bracket</b>	Universal bracket in accordance with VESA standard, for up to 32" screen (screen not included)
<b>Booking bracket</b>	Bracket for a tablet (tablet and booking system not included)
<b>VC ready</b>	Readiness for video conferencing system (includes only necessary ports and brackets)
<b>VC system</b>	Video conferencing system with screen bracket (excl. screen)
<b>Mobility kit</b>	Set of detachable casters for moving booths. Can be used for all Chatbox models.

## Options for surfaces

### Exterior colors collection




### Standard wall and ceiling



Dark gray

### Standard floor



Dark gray

### Standard profile



Black