

# Chatbox Single

## Private canopy for one

When phone and video calls aren't meant for the entire office, this pod is a gift. Quiet, private, considerate.



1 person



### Essential quality

With a sole focus on essential features, you enjoy world-class quality without breaking the bank.



### Quiet

Best-in-class soundproofing. Blocks 34dB outside noise, 27dB inside speech. Office-tested, ISO-approved in the laboratory.



### Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.



### Easy to relocate

Add-on mobility kit for in-office relocation. Easy reassembly for moving offices.



### Quick assembly

Thanks to its smart prefabricated design, it sets up in 30 minutes. Disassembly and reassembly are just as easy.



### Endless customization

Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.



### Sustainable

Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.

### Standard exterior colors



Black



White

### Standard interior color



Dark gray

### Colour collection for additional price



Cotton



Opal



Marshmallow



Myosotis



Paprika



Azurite




Storm Gray




Frozen Blue








RIGHT VIEW



FRONT VIEW




REAR VIEW



TOP VIEW

MINIMAL SPACE BETWEEN POD AND CEILING



SPACE BETWEEN FLOOR AND POD  
2 cm / 0.8 in



# Chatbox Single technical specification

## GENERAL PRODUCT INFO

<b>Exterior size (W*D*H)</b>	100 × 100 × 222 cm 39.4 × 39.4 × 87.4 in
<b>Interior size (W*D*H)</b>	87 × 98 × 204 cm 34.2 × 38.6 × 80.3 in
<b>Weight (net)</b>	330 kg / 727.5 lb
<b>Door handedness</b>	left- and right-handed door in one
<b>Air ventilation</b>	low consumption air circulation system (max 3.55 W)
<b>Air flow</b>	air circulation speed is more than 25 l/s (90 m³/h) (53 ft³/min)
<b>Lighting</b>	2700K – 5000K automatic LED lightning (6,7 W, 900 lm) with control panel. Low consumption, energy-efficient
<b>Power outlets</b>	Black socket with 110–240 V (10 A) + USB-A+C
<b>Power cord</b>	5 m / 9 ft 10 in
<b>Exterior material</b>	painted sheet metal
<b>Glass</b>	sound control laminated safety glass
<b>Floor</b>	antistatic and stain resistant low loop pile carpet for public spaces, EN 1307
<b>Acoustic surfaces</b>	acoustic EchoFree panel
<b>Adjustable glides</b>	for easy leveling from inside the booth
<b>Table</b>	built-in table with antibacterial laminate finish, 675 × 270 × 290 mm / 26.6 × 10.6 × 11.4 in

## CERTIFICATION

<b>Product safety</b>	GS-mark / UL962
<b>Electrical safety</b>	CE-mark / UL962
<b>Fire safety</b>	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
<b>Emissions</b>	Indoor Advantage™ Gold certified by SCS Global Services
<b>Sound reduction</b>	27,3 db (class B according to ISO 23351-1)
<b>Airborne sound insulation R'w</b>	34 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
<b>Sound transmission class STC</b>	35 dB according to ASTM E90, measured on site by an accredited specialist




## Chatbox Single features



Retractable coat/bag hook



Control panel



Occupancy light




Mobility kit

### EXTRA FEATURE

<b>Retractable coat/bag hook</b>	A practical and nice-looking foldable hook for coat or bag
<b>Control panel</b>	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras
<b>Occupancy light</b>	
<b>Screen bracket</b>	Universal bracket in accordance with VESA standard, for up to 24" screen (screen not included)
<b>Seating</b>	<ul style="list-style-type: none"> <li>· Integrated stool with leg rest, height adjustable 560–820 mm / 22.4–32.3 in, seat fabric dark gray</li> <li>· HAY Revolver bar stool</li> </ul>
<b>Mobility kit</b>	Set of detachable casters for moving booths. Can be used for all Chatbox models.
<b>RJ45 (CAT6) port in wall socket</b>	Includes CAT6 connection cable underneath the booth.
<b>Sprinkler prep</b>	Knockout with a tube inside the ceiling module for housing a sprinkler
<b>Seismic kit</b>	Brackets to mount the floor module to the existing floor with anchor bolts

## Options for surfaces

### Exterior colors collection



### Standard wall and ceiling



Dark gray

### Standard floor



Dark gray

### Standard profile



Black



# Chatbox Single furnishing options


## INTEGRATED STOOL

**Diameter:** 35 cm

**Height:** min 56 cm, max 82 cm

**Adjustable leg:** black (with chrome bottom tube)


**Seat fabric:** dark gray (Quest QUE04 Mussel)



## TABLE TOP

**Dimensions:** 67.5 x 27 x 29 cm

**Height from floor:** 105 cm




## REVOLVER BAR STOOL

Black, red or gray metal frame

Swivelling 360 degrees

**Height:** 76 cm


**Weight:** 10 kg



## TABLE TOP

**Dimensions:** 67.5 x 27 x 29 cm

**Height from floor:** 105 cm



## SCREEN BRACKET

Universal bracket for 24-in screen(screen not included)

VESA 100x100 and 200x200 mounting

Extra power cable for screen

