# SILEO HYBRID

# Silen Space 2 Hybrid

A welcoming space for everyone

















## **Accessible**

Improved comfort and wheelchair access with an extra-low threshold and a wide door, with an optional automatic opening.



# Ultimate two-way privacy

Market-leading sound reduction for wheelchairaccessible office pods.



### Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.



#### Easy to relocate

Add-on mobility kit for in-office relocation. Easy reassembly for moving offices.



## **Spacious**

Suitable for 4 wheelchair users; otherwise, seats up to 8. Offers ample space to stretch and move around. Available with furniture of your choice.



### Endless customization

Swap side skins and cover trims with a snap of a magnet. Enjoy a variety of colors, fabrics, and furnishing options.



#### **Modularity**

The modular design enables changing the pod size whenever needed. Add modules to create bigger spaces or split larger pods into smaller spaces.



## Sustainable

Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.



## Additional colours for extra fee



#### **Textile sides Camira Quest**
































# Space 2 Hybrid technical specification

# **GENERAL PRODUCT INFO**

Exterior size (W×D×H)	240 × 122 × 227 cm / 94 × 48 × 89 in	
Interior size (W×D×H)	220 × 110 × 216 cm / 87 × 43 × 85 in	
Weight (net)	650 kg / 1433 lb	
Weight with crate	780 kg / 1719 lb	
Exterior	Side panels: Metal sheet with sand-structured powder coating.	
	Fixed with magnets and easily exchangeable.  Front and back trims: Covered with antibacterial laminate.	
	Fixed with magnets and easily exchangeable.	
	Fixed with magnets and easily exchangeable.	
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB	
Walls/structure	EchoFree panel - sandwich element and structure of birch plywood, foam and acoustic felt.	
Roof	EchoFree panel - sandwich element of birch plywood and acoustic felt.	
Floor	Sandwich element of birch plywood, acoustic wool.	
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B <sub>f</sub> -s1	
Door handedness	Right- or left-handed door. Door handedness can be chosen during order	
Furniture	Optional. Different sets are available	
Air ventilation	Low energy-consumption automatic air circulation system (stand by 3,4W; in operation 6,8W). Air circulation speed is at least 85 l/s	
Electrical connections	Option one: add foldable table for sockets Option two: 2 x 110-240 V + USB-A+C in wall	
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.	
Lighting	2700K – 5000K automatic LED lightning (28 W, 3000 lm) with control panel. Low consumption, energy-efficient	

### **CERTIFICATION**

Product safety	UL962 Listed	
Electrical safety	CE-mark / UL962 Listed	
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)	
Emissions	Indoor Advantage™ Gold certified by SCS Global Services	









# Space 2 Hybrid extra features



Self-closing door hinges



Additional power outlet Pluto under the table



Additional power outlet Desk2 on the table



Additional power outlet Slim on the table (US)



Retractable coat/bag hook



Control panel



Occupancy light



Screen bracket on back glass

### **EXTRA FEATURE**


Self-closing door hinges	
Additional power outlet Pluto under the table	
Additional power outlet Desk2 on the table	On table top. 2 X 230 V, 1 X USB-A, 1 X USB-C
Additional power outlet Slim on the table (us)	US only. 3 x 120V, 2 x USB-A
Power outlet under sofa	(1 x 230V / USB A/C) Additional information.
LAN/RJ45/HDMI connections	
Control panel	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)
Occupancy light	
Screen bracket on back glass	
Screen bracket on side wall	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler.  Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor bolt
Mobility kit	Set of detachable casters for moving booths. Can be used for all Space Hybrid models.





# Options for surfaces

## Standard colours






## Veneer





# **Extra colours**



# Standard wall and ceiling



# Standard floor



Light gray Dark gray Black

# Standard profiles







Anodized gray

Black

# Textile sides (Camira Quest)\*



<sup>\*</sup> Only for Silen Dynamics Generation

Fully upcycled Furniture textiles with 70% marine plastic content



