

# Silen Space 1

## Personal escape pod

When you need focus on a call, office noise doesn't help. And your call can distract others nearby. Escape to the pod for silence and privacy.



1 person



### Ultimate two-way privacy

Market-leading in performance. Blocks 41 dB outside noise, 30 dB (Class A) inside speech. Office-tested, ISO-approved in the laboratory.



### Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.



### Movable

Hidden wheels allow effortless relocation in the office. Prefabricated design offers easy disassembly and reassembly when moving.



### Spacious

Ample space to sit, stretch, stand, and move around. Available with furniture of your choice.



### Endless customization

Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.



### Sustainable

Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.



### Interior colour

#### Standard colours



### Exterior colour

#### Standard colours\*







### Additional colours for extra fee



### Textile sides Camira Quest





# Space 1 technical specification

## GENERAL PRODUCT INFO

<b>Exterior size (W×D×H)</b>	110 × 110 × 229 cm / 43 × 43 × 90 in
<b>Interior size (W×D×H)</b>	90 × 101 × 205 cm / 35 × 40 × 81 in
<b>Weight (net)</b>	370 kg / 816 lb
<b>Weight with crate</b>	500 kg / 1102 lb
<b>Exterior</b>	<b>Side panels:</b> Metal sheet with sand-structured powder coating. Fixed with magnets and easily exchangeable. <b>Front and back trims:</b> Covered with antibacterial laminate. Fixed with magnets and easily exchangeable.
<b>Glass</b>	Sound Control laminated safety glass. Sound insulation STC 40 dB
<b>Walls/structure</b>	EchoFree panel - sandwich element and structure of birch plywood, foam and acoustic felt.
<b>Roof</b>	EchoFree panel - sandwich element of birch plywood and acoustic felt.
<b>Floor</b>	Sandwich element of birch plywood, acoustic wool.
<b>Carpet</b>	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B <sub>f1</sub> -s1
<b>Door handedness</b>	Right- or left-handed door. Door handedness must be chosen during order
<b>Furniture</b>	Optional. Different sets are available
<b>Air ventilation</b>	Low energy-consumption automatic air circulation system (stand by 1,7 W; in operation 3,4 W). Air circulation speed is at least 27 l/s
<b>Electrical connections</b>	Black socket with 110-240 V (10 A) + USB-A+C
<b>Power cord</b>	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
<b>Lighting</b>	2700K – 5000K automatic LED lightning (6,7 W, 900 lm) with control panel. Low consumption, energy-efficient
<b>Casters</b>	For moving during installation and easy relocation. Hidden. Can be activated any time.
<b>Adjustable legs</b>	For levelling. Levelling from inside the booth

## CERTIFICATION

<b>Product safety</b>	UL962 Listed
<b>Electrical safety</b>	CE-mark / UL962 Listed
<b>Fire safety</b>	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
<b>Emissions</b>	Indoor Advantage™ Gold certified by SCS Global Services
<b>Speech level reduction</b>	30,1 dB / Class A according to ISO 23351-1, measured in accredited lab
<b>Airborne sound insulation R'w</b>	40 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
<b>Sound transmission class STC</b>	41 dB according to ASTM E90, measured on site by an accredited specialist



## Space 1 extra features



Self-closing door hinges



Retractable coat/bag hook



Control panel



Sprinkler prep



Seismic kit



Occupancy light

### EXTRA FEATURE

**Self-closing door hinges**

**LAN/RJ45/HDMI connections**

**Control panel**

Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)

**Occupancy light**

**Frosted film on glass**

**Retractable coat/bag hook**

**Sprinkler prep**

Knockout with a tube inside. The ceiling module for housing a sprinkler. Does not include a sprinkler. Sprinkler needs to be installed by a certified company.

**Seismic kit**

Brackets to mount the floor module to the existing floor with anchor bolts

## Options for surfaces


### Standard colours




### Veneer




### Extra colours



### Standard wall and ceiling



### Standard floor



### Standard profiles



### Textile sides (Camira Quest)\*



\* Only for Silen Dynamics Generation

Fully upcycled Furniture textiles with 70% marine plastic content

